

## Product features and advantages:

- NR1060 is a middle and large front-wheel drive scrubber with dual brushes.
- The garbage storage box in the recovery tank can effectively filter large garbage to avoid the blockage of the drain pipe.
- The whole vehicle adopts modular and compact design, which brings good maneuverability and flexibility.
- The low center of gravity water tank and battery design ensure the whole vehicle higher driving safety and maintenance convenience.
- Integrated waterproof touch panel design, easy for operations such as driving speed control, water flow adjustment, brush lifting/lowering.
- Large-size color LCD screen to achieve equipment parameters visible, convenient for fault diagnosis and maintenance.
- Standard electronic water level indicator for solution/recovery tanks, making level display intuitive and convenient. The recovery tank will automatically alarm and stop when it is full.
- The whole vehicle is equipped with one-button soft start of motor, over-current and under-voltage protection of controller.
- Patented disk brush adopts buckle design, achieving automatic loading and unloading of disk brush with one key.
- One touch ECO model to reduce the energy consumption and noise level, suitable for low noise request scenarios.
- 36V200Ah maintenance-free lead-acid battery ensures to work continuously for 5-6 hours on one charge.



Long working hours



High reliability



High efficiency



Low security risk

**Save Labor and money,  
for users to save a lot of  
labor costs.**



**NOBLELIFT**  
CANADA INC.

# NR1060

## *Ride-on Scrubber*



**NEW** *Noblelift Products*  
**ARRIVAL**


# NOBLELIFT CANADA

850 Rue Ellingham, Pointe-Claire, Quebec H9R 3S4

+1 (514) 697-0117

info@nobeliftca.com

www.nobeliftcanada.com



**High performance battery**  
Large capacity maintenance-free lead-acid battery, safe and reliable, long working time.



**Control panel**  
Integrated waterproof touch panel design, easy and fast operation.




**Steering wheel**  
With steering wheel booster ball, comfortable to operate.



**Charging port**  
External charging port, easy to charge.




**Hatchback recovery tank**  
Tool-free disassembly design, easy to clean and maintain.



**Hygroscopic steak**  
Wear-resistant adhesive strip arc suction and scrape-shaped design, easy to absorb water without residue.



**Water injection port and water level indicator**  
Display clear water tank water level, large opening water injection port, easy to add clear water.



**High-power non-slip front drive wheel**  
High-power anti-slip drive front wheel, ramp operation will not slope, more safe.

**The recommended application of brush/ needle disc for fixing pad:**

|                   | Brush      |                  |            | Needle disc+pad |            |            |
|-------------------|------------|------------------|------------|-----------------|------------|------------|
|                   | Soft brush | Nylon (Standard) | Hard brush | White           | Red        | Black      |
| Concrete floor    |            | Applicable       | Applicable |                 | Applicable | Applicable |
| Terrazzo floor    |            | Applicable       | Applicable |                 | Applicable | Applicable |
| Tile/ Slate floor | Applicable | Applicable       |            |                 | Applicable |            |
| Marble floor      | Applicable | Applicable       |            | Applicable      | Applicable |            |
| Plastic floor     | Applicable |                  |            | Applicable      | Applicable |            |
| Rubber floor      | Applicable |                  |            | Applicable      |            |            |

Notes:

1. Soft brush: for cleaning and polishing smooth surface
2. Nylon brush: for general floor cleaning (standard configuration)
3. Hard brush: for removing stubborn dirt on hard ground
4. Needle disc: holding the pad, reducing the wear on the floor; the pad is used together with the needle disc. According to different conditions of the floor, we need to choose different pads in different colors (generally the deeper the color is, the greater the friction on the floor).

Specific application of pads:

- a) White pad: for general cleaning and polishing, marble and smooth floors
- b) Red pad: for general floor cleaning
- c) Black pad: for removing stubborn stains on hard floors


**The application of squeezer rubber strip:**

|                   | Rubber (Standard) | (PU)       |
|-------------------|-------------------|------------|
| Concrete floor    | Applicable        | Applicable |
| Terrazzo floor    | Applicable        | Applicable |
| Tile/ Slate floor | Applicable        |            |
| Marble floor      | Applicable        |            |
| Plastic floor     | Applicable        | Applicable |
| Rubber floor      | Applicable        | Applicable |


Note:

Polyurethane (PU) strip has strong wear resistance and oil resistance, which is suitable for oil floor conditions, but cutting and tearing performance of PU strip is poor, so it is not suitable for quadrel/ brick or tile floors.

**Industries**



**Scenarios**



| NR1060 Ride-on Scrubber--Specifications |                          |                   |                    |                 |                 |
|---|--------------------------|-------------------|--------------------|-----------------|-----------------|
| Model                                   |                          |                   | NR1060             |                 |                 |
| TECHNICAL DATA                          | Cleaning width           | mm                | in                 | 1060            | 41.7            |
|   | Brush/pad diameter       | mm                | in                 | 2×530           | 2×20.9          |
|   | Solution tank capacity   | L                 | gal                | 200             | 52.8            |
|   | Recovery tank capacity   | L                 | gal                | 210             | 55.5            |
|   | Clean productivity       | m <sup>2</sup> /h | yd <sup>2</sup> /h | 6890            | 8240            |
|   | Continuous working time  | h                 | h                  | 5~6             | 5~6             |
|   | Brush motor rated power  | W                 | Hp                 | 2×550           | 2×0.74          |
|   | Vacuum motor rated power | W                 | Hp                 | 600             | 0.8             |
|   | Drive motor rated power  | W                 | Hp                 | 800             | 1.1             |
|   | Traveling speed          | km/h              | mph                | 0~6.5           | 0~4             |
|   | Sound level dB           | A                 | A                  | 68±3            | 68±3            |
|   | Battery                  |                   |                    | 36V (6×6V200Ah) | 36V (6×6V200Ah) |
| Net weight (without batteries)          | kg                       | lbs               | 267                | 589             |                 |
| Product dimensions                      | mm                       | in                | 1800×850×1350      | 70.9×33.5×53.1  |                 |